

# Interference Search

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	368	(state near3 machine) with (protocol layer stack).clm.	US-PGPUB; USPAT	OR	ON	2005/08/10 09:57
L2	19	(state near3 machine) with (protocol near3 (layer stack)).clm.	US-PGPUB; USPAT	OR	ON	2005/08/10 09:57
L3	5	((state near3 machine) with (protocol layer stack) with (context)).clm.	US-PGPUB; USPAT	OR	ON	2005/08/10 09:55
L4	0	((state near3 machine) with (protocol layer stack) with ((control data) near3 plane)).clm.	US-PGPUB; USPAT	OR	ON	2005/08/10 09:56
L5	8	((state) with (protocol layer stack) with ((control data) near3 plane)).clm.	US-PGPUB; USPAT	OR	ON	2005/08/10 09:56
L6	15174	(state) with (protocol layer stack).clm.	US-PGPUB; USPAT	OR	ON	2005/08/10 09:57
L7	114	(state) with (protocol near3 (layer stack)).clm.	US-PGPUB; USPAT	OR	ON	2005/08/10 09:57

# Complete Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	368	(state near3 machine) with (protocol layer stack).clm.	US-PGPUB; USPAT	OR	ON	2005/08/10 09:57
L2	19	(state near3 machine) with (protocol near3 (layer stack)).clm.	US-PGPUB; USPAT	OR	ON	2005/08/10 09:57
L3	5	((state near3 machine) with (protocol layer stack) with (context)).clm.	US-PGPUB; USPAT	OR	ON	2005/08/10 09:55
L4	0	((state near3 machine) with (protocol layer stack) with ((control data) near3 plane)).clm.	US-PGPUB; USPAT	OR	ON	2005/08/10 09:56
L5	8	((state) with (protocol layer stack) with ((control data) near3 plane)).clm.	US-PGPUB; USPAT	OR	ON	2005/08/10 09:56
L6	15174	(state) with (protocol layer stack).clm.	US-PGPUB; USPAT	OR	ON	2005/08/10 09:57
L7	114	(state) with (protocol near3 (layer stack)).clm.	US-PGPUB; USPAT	OR	ON	2005/08/10 09:57
S1	3604	(709/250.ccls. or 370/463.ccls. or 375/219,220.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 11:39
S2	5	S1 and (protocol near3 (stack suite)) same ((generic near3 state near3 machine) (GSM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 13:59
S3	0	S1 and (protocol near3 (stack suite)) and (generic near3 state near3 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 11:44
S4	16	(protocol near3 (stack suite)) and (generic near3 state near3 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:10
S5	173	(protocol near3 (stack suite)) same (state near3 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:16
S6	2	"5987035".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:15
S7	2	"5546453".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 12:15
S8	63	(protocol near3 (stack suite)) same ((programmable custom\$7 personaliz\$5 configur\$5) with (state near3 machine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 09:26
S9	1	(protocol near3 (stack suite family)) same ((input incoming) with (event) with decoder) same (state near3 decoder) same (state near3 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:28

S10	2	(protocol near3 (stack suite family)) and ((input incoming) with (event) with decoder) and (state near3 decoder) and (state near3 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:30
S11	3	(protocol near3 (stack suite family)) and (event with decoder) and (state near3 decoder) and (state near3 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:30
S12	141	(protocol near3 (stack suite family)) and (SAP (service near3 access near3 point)) and (CID (connection near3 identif\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:32
S13	10	S12 and (state near3 decod\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:35
S14	33	S12 and (state near3 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:50
S15	72	(generic near3 state near3 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:50
S16	44	S15 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:51
S17	2	"20020085696".did. and (state near3 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 10:48
S18	3401	((programmable custom\$7 personaliz\$5 configur\$5) near3 (state near3 machine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 10:51
S19	220	S18 and (protocol near3 (stack suite family))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 10:52
S20	2	"20020085696".did. and (state near3 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 09:34
S21	2	(input incomming) with (event trigger) with (SAP (service near3 access near3 point)) with (connection identif\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 10:03
S22	1404	(SAP (service near3 access near3 point)) with (connection identif\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 10:06

S23	287	(SAP (service near3 access near3 point)) with (connection identif\$7) and (protocol near3 (stack suite family))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 10:04
S24	40	S23 and state near3 machine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 10:05
S25	52	(SAP (service near3 access near3 point)) with (connection near3 identif\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 10:06
S26	337	(protocol near3 (stack suite)) and ((programmable custom\$7 personaliz\$5 configur\$5) with (state near3 machine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 12:18
S27	215	(protocol near3 (stack suite)) and ((programmable custom\$7 personaliz\$5 configur\$5) near3 (state near3 machine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 11:52
S28	52	(SAP (service near3 access near3 point)) with (connection near3 identif\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 11:54
S29	89	(SAP (service near3 access near3 point)) same (connection near3 identif\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 11:54
S30	2	S29 and (state near3 decod\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 11:55
S31	8	S29 and state with context	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 11:57
S32	10	S29 and state same context	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 11:58
S33	34	S29 and state and context	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 11:58
S34	5920	((programmable custom\$7 personaliz\$5 configur\$5) with (state near3 machine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 12:18
S35	3401	((programmable custom\$7 personaliz\$5 configur\$5) near3 (state near3 machine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 12:19

S36	2034	S35 and @ad<"20010511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 12:19
S37	1112	S36 and ((network) or (protocol near3 stack family suite))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 12:21
S38	329	S36 and ((network) and (protocol near3 stack family suite))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 12:20
S39	1002	S36 and ((network) or (protocol near3 (stack family suite)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 12:21
S40	91	S36 and (network) and (protocol near3 (stack family suite))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 12:37
S41	171	(ss7 with (protocol near3 stack))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 12:37
S42	15	S41 and (state near3 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 12:46
S43	5	S41 and (input near3 event)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 12:49
S44	567	(state near3 machine) with (context)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 12:49
S45	48	(state near3 machine) with (configur\$5 personaliz\$5 programmable generic) with (context)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 12:50
S46	74	(protocol near3 stack) with (state near3 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 10:11
S47	123	(protocol near3 stack) same (state near3 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 10:11
S48	1	(SS7 with (protocol near3 stack)) same (state near3 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 10:13

S49	123	(protocol near3 stack) same (state near3 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 10:13
S50	4	("5528763"   "5544160"   "5640398"   "6167062").PN. OR ("6628660").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/28 11:09
S51	0	(input incomming) with (decoder) with (access near3 point) with (id identif\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 12:07
S52	57	((service near3 access near3 point) SAP) with ((connection near3 (identif\$7 ID)) CID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 12:09
S53	16	(US-20010032069-\$ or US-20010055281-\$ or US-20020085696-\$ or US-20020161907-\$ or US-20020186697-\$ or US-20040100952-\$ or US-20040111535-\$ or US-20030076938-\$).did. or (US-5634015-\$ or US-5991541-\$ or US-6549882-\$ or US-6628660-\$ or US-6629263-\$ or US-5640398-\$ or US-6009093-\$).did. or (WO-200228047-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/02/28 15:39
S54	11	S53 and (CRC test\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 15:40
S55	16	(US-20010032069-\$ or US-20010055281-\$ or US-20020085696-\$ or US-20020161907-\$ or US-20020186697-\$ or US-20040100952-\$ or US-20040111535-\$ or US-20030076938-\$).did. or (US-5634015-\$ or US-5991541-\$ or US-6549882-\$ or US-6628660-\$ or US-6629263-\$ or US-5640398-\$ or US-6009093-\$).did. or (WO-200228047-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/03/01 08:53
S56	1	S55 and CRC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 08:53
S57	1	(CRC with (protocol near3 overhead)) and (protocol near3 stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 08:59
S58	7	(CRC with (protocol near3 overhead))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 09:07
S59	1170	(CRC and (protocol near3 stack))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 09:08
S60	10	(CRC with (protocol near3 stack))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 09:11
S61	70	(CRC same (protocol near3 stack))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 09:11

S62	13	(ATM same AAL same SSCF same SSCOP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 11:13
S64	2	"5848064".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 10:24
S65	1	"5848064".pn. and driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 10:24
S66	16	(protocol near3 (stack suite)) and (generic near3 state near3 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 13:57
S67	0	"6628660".pn. and (protocol near3 stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 13:58
S68	3849	(709/250.ccls. or 370/463.ccls. or 375/219,220.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 13:59
S70	38	S68 and (protocol near3 (stack suite)) same (state near3 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 14:05
S71	1	"20050071490".did. and (state near3 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 14:05
S72	202	(protocol near3 (stack suite)) same (state near3 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 14:16
S73	7158	((programmable custom\$7 personaliz\$5 configur\$5 generic dynamic) with (state near3 machine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 09:27
S74	243	((programmable custom\$7 personaliz\$5 configur\$5 generic dynamic) with (state near3 machine)) same ((protocol network near3 (process\$4 stack suite layer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 14:11
S75	216	((programmable custom\$7 personaliz\$5 configur\$5 generic dynamic) with (state near3 machine)) same ((software hardware) near3 (process\$4 stack suite layer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 15:12
S76	3	(state near3 machine) with (context current) with ((control data) near3 plane)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 15:14

S77	4992	(state near3 machine) with (context current)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 15:14
S78	31	(state near3 machine) with (context current) with (layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 15:14
S79	839	(state near3 machine) with (layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 15:14
S80	162	(state near3 machine) with (protocol near3 layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 15:15